

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	10358	(extrud\$4 or extrusion) and (mold\$4 or mould\$4) and bisphenol and polycarbonate	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/06/18 11:00
L2	1786	(extrud\$4 or extrusion) and (mold\$4 or mould\$4) and bisphenol and polycarbonate and viscosity and molecular and weight and average and die	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/06/18 10:57
L3	7	(extrud\$4 or extrusion) and (mold\$4 or mould\$4) and bisphenol and polycarbonate and viscosity and molecular and weight and average and sizing near die	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/06/18 10:57
L4	7	(extrud\$4 or extrusion) and (mold\$4 or mould\$4) and bisphenol and polycarbonate and viscosity and molecular and weight and average and sizing near2 die	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/06/18 10:58

## EAST Search History

L5	8	(extrud\$4 or extrusion) and (mold\$4 or mould\$4) and bisphenol and polycarbonate and viscosity and molecular and weight and average and sizing near4 die	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/06/18 10:58
L6	2003	sizing near die	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/06/18 10:58
L7	113	sizing near die and polycarbonate	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/06/18 10:58
L8	105	sizing near die and polycarbonate and (extrud\$4 or extrusion)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/06/18 10:58
L9	80	sizing near die and polycarbonate and (extrud\$4 or extrusion) and (mold\$4 or mould\$4)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/06/18 10:59

## EAST Search History

L10	77	sizing near die and polycarbonate and (extrud\$4 or extrusion) and (mold\$4 or mould\$4) and (viscosit\$4 or molecular\$4 or weight)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/06/18 10:59
L11	77	sizing near die and polycarbonate and (extrud\$4 or extrusion) and (mold\$4 or mould\$4) and (viscosit\$4 or molecular or weight)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/06/18 10:59
L12	66	sizing near die and polycarbonate and (extrud\$4 or extrusion) and (mold\$4 or mould\$4) and (viscosit\$4 or molecular near2 weight)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/06/18 11:03
L14	11	sizing near die and polycarbonate and (extrud\$4 or extrusion) and (mold\$4 or mould\$4) and (viscosit\$4 or molecular near2 weight) and (bpa or bisphenol or hydroxydiphenyl near propane or bis near hydroxydiphenyl or bishydroxydiphenylpropane or hydroxydiphenyl or hydroxybiphenyl)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/06/18 11:03